


C9C

CERTIFICATE OF FIRST CLASS MAIL

I hereby certify that this correspondence is being deposited with the United States Postal Service as First Class Mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

PLEASE CHARGE ANY DEFICIENCIES UP TO \$300 OR CREDIT ANY EXCESS IN THE FEES DUE WITH THIS DOCUMENT TO OUR DEPOSIT ACCOUNT No. 14-1263


Zsuzsa Schuster

Date:

10/31/05



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants	:	Burmeister, et al.
Patent No.	:	6,822,029 B1
Issued	:	November 23, 2004
Serial No.	:	09/641,645
Filed	:	August 18, 2000
TC/A.U.	:	1714
Examiner	:	Edward J. Cain
Docket No.	:	101769-62 Beiersdorf 642-WCG
Customer No.	:	27,386

Attention: Certificate of Corrections Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

REQUEST FOR CERTIFICATE UNDER RULE 322

In accordance with the provisions of Rule 322 of the Rules of Practice which implement 35 USC 254, the Patent and Trademark Office is respectfully requested to issue a Certificate of Correction in the above-identified patent to correct

- (1) mistakes incurred through the fault of the Patent and Trademark Office in the printed patent document.

The mistakes are listed below with reference to their occurrence in the patent and correspond to the attached Form PTO-1050:

Certificate
NOV 08 2005
of Correction

(1) PTO's mistake:

Column 1, Line 59, "such as filters" should read -- such as fillers --

Column 2, Lines 20-21, "80 (8). (1990)" should read -- 80 (8), (1990) --

Column 5, Line 1, "etallocene" should read -- metallocene --

Column 5, Line 63, "20 m²/g. precipitated" should read -- 20 m²/g, precipitated --

Column 6, Line 12, "for example. are suitable" should read -- for example, are suitable --

Column 6, Line 24, "200 μm. in particular" should read -- 200 μm, in particular --

Column 6, Line 53, "sides. the" should read -- sides, the --

Column 7, Line 14, "forces; in the lengthwise direction" should read -- forces in the lengthwise direction --

Column 8, Line 29, "extraction. the toulene" should read -- extraction, the toulene --

Column 10, Line 63, "69%" should read -- 6-9% --

Column 12, Line 40, "800°C." should read -- 80°C. --

Column 13, Line 55, Insert -- Example P5 --

Column 14 Line 8, "36" should read -- 38 --

Column 14, Line 21, Insert -- Example P6 --

Column 14, Line 46, Insert -- Example P7 --

Column 15, Line 1, Insert -- Example P8 --

Column 15, Line 53, "of form" should read -- of from --

Column 15, Line 55, "of form 9 to 13% weight" should read -- of from 9 to 13% by weight --

Column 16, Line 14, "filters are added" should read -- fillers are added --

Column 16, Lines 15-16, "chalks precipitated" should read -- chalks, precipitated --

Column 16, Line 26, "at last one side" should read -- at least one side --

REMARKS

Patentee submits that the mistakes in the description occurred through fault of the Patent and Trademark Office. Patentee requests a Certificate of Correction. Two copies of the Form PTO-1050 are enclosed.

Respectfully submitted,
NORRIS, MCLAUGHLIN & MARCUS, P.A.

By 
William C. Gerstenzang
Reg. No. 27,552

Date: 10/31/05
Encls: Form PTO-1050 (in duplicate) & Return Postcard
Norris, McLaughlin & Marcus, P.A.
875 Third Avenue – 18th Floor
New York, New York 10022
(212) 808-0700

NOV 09 2005

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : US 6,822,029 B1

DATED : Nov. 23, 2004

INVENTOR(S) : Burmeister et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1, Line 59, "such as filters" should read -- such as fillers --

Column 2, Lines 20-21, "80 (8). (1990)" should read -- 80 (8), (1990) --

Column 5, Line 1, "etallocene" should read -- metallocene --

Column 5, Line 63, "20 m²/g. precipitated" should read -- 20 m²/g, precipitated --

Column 6, Line 12, "for example. are suitable" should read -- for example, are suitable --

Column 6, Line 24, "200 μ m. in particular" should read -- 200 μ m, in particular --

Column 6, Line 53, "sides. the" should read -- sides, the --

Column 7, Line 14, "forces; in the lengthwise direction" should read -- forces in the lengthwise direction --

Column 8, Line 29, "extraction. the toulene" should read -- extraction, the toulene --

Column 10, Line 63, "69%" should read -- 6-9% --

Column 12, Line 40, "800°C." should read -- 80°C. --

Column 13, Line 55, Insert -- Example P5 --

MAILING ADDRESS OF SENDER: Norris McLaughlin & Marcus, PA
875 Third Avenue, 18th Floor
New York, NY 10022

PATENT NO. US 6,822,029 B1No. of additional copies 1

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

NOV 09 2004

UNITED STATES PATENT AND TRADEMARK OFFICE**CERTIFICATE OF CORRECTION**

PATENT NO. : US 6,822,029 B1

DATED : Nov. 23, 2004

INVENTOR(S) : Burmeister et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 14 Line 8, "36" should read -- 38 --

Column 14, Line 21, Insert -- Example P6 --

Column 14, Line 46, Insert -- Example P7 --

Column 15, Line 1, Insert -- Example P8 --

Column 15, Line 53, "of form" should read -- of from --

Column 15, Line 55, "of form 9 to 13% weight" should read -- of from 9 to 13% by weight --

Column 16, Line 14, "filters are added" should read -- fillers are added --

Column 16, Lines 15-16, "chalks precipitated" should read -- chalks, precipitated --

Column 16, Line 26, "at last one side" should read -- at least one side --

MAILING ADDRESS OF SENDER: **Norris McLaughlin & Marcus, PA**
875 Third Avenue, 18th Floor
New York, NY 10022

PATENT NO. US 6,822,029 B1No. of additional copies 0

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. **DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

NOV 09 2005

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : US 6,822,029 B1

DATED : Nov. 23, 2004

INVENTOR(S) : Burmeister et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1, Line 59, "such as filters" should read -- such as fillers --

Column 2, Lines 20-21, "80 (8). (1990)" should read -- 80 (8), (1990) --

Column 5, Line 1, "etallocene" should read -- metallocene --

Column 5, Line 63, "20 m²/g. precipitated" should read -- 20 m²/g, precipitated --

Column 6, Line 12, "for example. are suitable" should read -- for example, are suitable --

Column 6, Line 24, "200 μ m. in particular" should read -- 200 μ m, in particular --

Column 6, Line 53, "sides. the" should read -- sides, the --

Column 7, Line 14, "forces; in the lengthwise direction" should read -- forces in the lengthwise direction --

Column 8, Line 29, "extraction. the toulene" should read -- extraction, the toulene --

Column 10, Line 63, "69%" should read -- 6-9% --

Column 12, Line 40, "800°C." should read -- 80°C. --

Column 13, Line 55, Insert -- Example P5 --

MAILING ADDRESS OF SENDER: Norris McLaughlin & Marcus, PA
875 Third Avenue, 18th Floor
New York, NY 10022

PATENT NO. US 6,822,029 B1No. of additional copies 1

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

NOV 09 2005

UNITED STATES PATENT AND TRADEMARK OFFICE**CERTIFICATE OF CORRECTION**

PATENT NO. : US 6,822,029 B1

DATED : Nov. 23, 2004

INVENTOR(S) : Burmeister et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 14 Line 8, "36" should read -- 38 --

Column 14, Line 21, Insert -- Example P6 --

Column 14, Line 46, Insert -- Example P7 --

Column 15, Line 1, Insert -- Example P8 --

Column 15, Line 53, "of form" should read -- of from --

Column 15, Line 55, "of form 9 to 13% weight" should read -- of from 9 to 13% by weight --

Column 16, Line 14, "filters are added" should read -- fillers are added --

Column 16, Lines 15-16, "chalks precipitated" should read -- chalks, precipitated --

Column 16, Line 26, "at last one side" should read -- at least one side --

MAILING ADDRESS OF SENDER: Norris McLaughlin & Marcus, PA
875 Third Avenue, 18th Floor
New York, NY 10022

PATENT NO. US 6,822,029 B1No. of additional copies 0

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

NOV 09 2005